

שאלון GAD 7 להערכת רמת החרדה

Generalized Anxiety Disorder 7 Item Scale questionnaire

יום	יום	יום	יום	יום	יום	יום	כמה		במהלך 14 הימים האחרונים, באיזו תדירות הייתה מוטרדת/ מהובעת הבאות? (היקף) בעיגול את תשובה(ך).
							לא	לא	
							הרים	ר	1. הרגשת עצבנית/חרדה או מתחה מודע
3	2	1	0						2. לא הייתי מסוגל/ת להפסיק לדאוג או לשנות בדאגה
3	2	1	0						3. הייתה מודאגת יותר מדי בגין דברים שונים
3	2	1	0						4. התקשתית להירגע
3	2	1	0						5. הייתה כל כך חסרת מנוחה, שהיא לי קשה לשבות מביל למעט
3	2	1	0						6. התעצבנתי או התטרזתי בקלהות
3	2	1	0						7.פחדתי אולי משהו טרא עלול לקחח
ציון שניתן בכל עמודה									

סכום את הציונים בשורה התחתונה בטבלה

ציון כולל מ 0-4 עד : 4 : ללא הפרעת חרדה

ציון כולל מ 5-9 עד : 9 : מצביע על חרדה ברמה מוגנת(mild)

ציון כולל מ 10-14 עד : 14 : מצביע על חרדה ברמה בינונית(moderate)

ציון כולל מ 15-19 ומעלה : מצביע על חרדה ברמה חמומה(severe)

References: 1. Swinson RP; The GAD-7 scale was accurate for diagnosing generalized anxiety disorder. Evid Based Med. 2006 Dec;11(6):184. 2. Spitzer RL, Kroenke K, Williams JB, et al; A brief measure for assessing generalized anxiety disorder: the GAD-7. Arch Intern Med. 2006 May 22; 166(10): 1092-7. 3. Kroenke K, Spitzer RL, Williams JB, et al; Anxiety disorders in primary care: prevalence, impairment, comorbidity, and detection. Ann Intern Med. 2007 Mar 6;146(5):317-25.